PLUS Search Request Form

- Submit one form per case
- Submit cases by 2pm daily, if not, cases will not be scanned until next business day

Keywords to emphasize)		

WEST

Generate Collection

L1: Entry 6 of 13

File: USPT

Apr 11, 2000

US-PAT-NO: 6047556

DOCUMENT-IDENTIFIER: US 6047556 A

TITLE: Pulsed flow for capacity control

DATE-ISSUED: April 11, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Lifson; Alexander

Manlius

lius NY

ASSIGNEE-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

TYPE CODE

Carrier Corporation

Syracuse · NY

02

APPL-NO: 8/ 986447

DATE FILED: December 8, 1997

INT-CL: [7] F25B 3/00

US-CL-ISSUED: 62/196.2; 62/196.4, 62/217, 62/513, 251/129.05 US-CL-CURRENT: 62/196.2; 251/129.05, 62/196.4, 62/217, 62/513

FIELD-OF-SEARCH: 62/196.2-196.4, 62/217, 62/513, 251/129.05

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

	Search S	Selected Search ALL	
PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
4838037	June 1989	Wood	251/129.05 X
4854130	August 1989	Naruse et al.	62/513 X
5063750	November 1991	Englund	62/196.3
5226472	July 1993	Benevelli et al.	62/217 X
5634350	June 1997	De Medio	62/217
5816055	October 1998	Ohman	62/196.3 X

ART-UNIT: 374

PRIMARY-EXAMINER: Bennett; Henry

ASSISTANT-EXAMINER: Norman; Marc

ABSTRACT:

Step control in capacity modulation of a refrigeration or air conditioning circuit is achieved by rapidly cycling a solenoid valve in the suction line, economizer circuit or in a bypass with the percent of "open" time for the valve regulating the rate of flow therethrough. A common port in the compressor is used for economizer flow and for bypass.

3 Claims, 1 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 1

BRIEF SUMMARY:

BACKGROUND OF THE INVENTION

In a closed air conditioning or refrigeration system there are a number of methods of unloading that can be employed. Commonly assigned U.S. Pat. No. 4,938,666 discloses unloading one cylinder of a bank by gas bypass and unloading an entire bank by suction cutoff. Commonly assigned U.S. Pat. No. 4,938,029 discloses the unloading of an entire stage of a compressor and the use of an economizer. Commonly assigned U.S. Pat. No. 4,878,818 discloses the use of a valved common port to provide communication with suction for unloading or with discharge for V.sub.i control, where V.sub.i is the discharge pressure to suction pressure ratio. In employing these various methods, the valve structure is normally fully open, fully closed, or the degree of valve opening is modulated so as to remain at a certain fixed position. One problem associated with these arrangements is that capacity can only be controlled in steps or expensive motor driven modulation valves must be employed to fix the valve opening at a certain position for capacity control.

SUMMARY OF THE INVENTION

Gradual compressor capacity can be achieved by rapidly cycling solenoid valve(s) between fully open and fully closed positions. The cycling solenoid valve(s) can be located in the compressor suction line, the compressor economizer line and/or the compressor bypass line which connects the economizer line to the suction line. The percentage of time that a valve is open determines the degree of modulation being achieved. However, because the cycling time is so much shorter than the response time of the system, it is as though the valve(s) are partially opened rather than being cycled between their open and closed positions.

It is an object of this invention to provide continuous capacity control.

It is another object of this invention to provide step control in capacity modulation.

It is a further object of this invention to provide a less expensive alternative to the use of variable speed compressors.

It is another object of this invention to provide a less expensive alternative to a modulation valve. These objects, and others as will become apparent hereinafter, are accomplished by the present invention.

Basically, gradual or step control in capacity modulation of a refrigeration circuit is achieved by rapidly cycling a solenoid valve in the compressor suction line and/or the compressor economizer line and/or bypass line.

DRAWING DESCRIPTION:

BRIEF DESCRIPTION OF THE DRAWING

For a fuller understanding of the present invention, reference should now be made to the following detailed description thereof taken in conjunction with the accompanying drawing wherein.

The FIGURE is a schematic representation of an economized refrigeration or air conditioning system employing the present invention.

Solomon, Terrance

● # 56415

From:

Sholl, Linda

Sent:

Saturday, December 08, 2001 5:19 PM

To:

STIC-EIC3700

Subject: '

litigation and plus search for 6047556

Please do a litigation and plus search for 6047/556

It is for reissue 09/921334

Thanks, Linda Sholl Special Programs Examiner TC3700 PK1-5D24 703-308-1288

DEC 10 2001

6 047 556

```
QUESTEL ORBIT
Files searched:
 Databases : LGST, CRXX, PAST, LITA
?us6047556/pn
 Term not in index/PN-LITA: US6047556
 LGST
                           1
 CRXX
                           1
 PAST
                           1
 LITA
 1/3 LGST (1/1) - (C) LEGSTAT
 PN - US 6047556 [US6047556]
 AP - US 986447/97 19971208 [1997US-0986447]
 DT - US-P
 ACT - 19971208 US/AE-A
       APPLICATION DATA (PATENT)
       {US 986447/97 19971208 [1997US-0986447]}
     - 20000411 US/A
       PATENT
     - 20011023 US/RF
       REISSUE APPLICATION FILED
       20010803
 UP - 2001-44
 2/3 CRXX (1/1) - (C) CLAIMS/RRX
 AN - 3305475
 PN - 6,047,556 A 20000411 [US6047556]
 PA - Carrier Corp
 PT - M (Mechanical)
 ACT - 20010803 REISSUE REQUESTED
       ISSUE DATE OF O.G.: 20011023
       REISSUE REQUEST NUMBER: 09/921334
       EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 3744
       Reissue Patent Number:
 UP - 2001-43
 UACT- 2001-10-23
 3/3 PAST (1/1) - (C) PAST
 AN - 200143-001809
 PN - 6047556 A [US6047556]
 DT - A (UTILITY)
 OG - 2001-10-23
 CO - REA
 ACT - REISSUE APPLICATION FILED
 SH - REISSUE APPLICATION FILED
```

INPADOC SEARCH RESULTS FOR US PATENT 6,047,556 December 11, 2001

```
1/39/1
DIALOG(R) File 345: Inpadoc/Fam. & Legal Stat
(c) 2001 EPO. All rts. reserv.
15148276
Basic Patent (No, Kind, Date): EP 921364 A2 19990609
                                                    <No. of Patents: 007>
Patent Family:
                                Applic No
    Patent No
                Kind Date
                                            Kind Date
                       19991123
                                   BR 98U5207
                                                       19981207
   BR 9805207
                   À
                                                   Α
                       19991117
                                   CN 98122457
                                                       19981112
    CN 1235265
                   Α
                                                   Α
                   A2 19990609
                                   EP 98630071
                                                       19981120
   EP 921364
                                                   Α
                                                                 (BASIC)
                   A3 20000614
                                   EP 98630071
   EP 921364
                                                  Α
                                                       19981120
    JP 11270916
                   A2 19991005
                                   JP 98347687
                                                  Α
                                                       19981208
   JP 2986469
                   B2 19991206
                                   JP 98347687
                                                  Α
                                                       19981208
   US 6047556
                   Α
                       20000411
                                   US 986447
                                                  Α
                                                       19971208
Priority Data (No, Kind, Date):
    US 986447 A 19971208 ·
PATENT FAMILY:
BRAZIL (BR)
  Patent (No, Kind, Date): BR 9805207 A
                                         19991123
                PARA
                       OBTER
                               CONTROLE DE CAPACIDADE EM UM SISTEMA.
   DISPOSITIVO
      (Portugese)
    Patent Assignee: CARRIER CORP (US)
   Author (Inventor): LIFSON ALEXANDER
    Priority (No, Kind, Date): US 986447 A
                                            19971208
   Applic (No, Kind, Date): BR 98U5207 A
                                           19981207
   IPC: * F25B-049/02
   Derwent WPI Acc No: * G 99-315470
   Language of Document: Portugese
CHINA (CN)
  Patent (No, Kind, Date): CN 1235265 A
                                         19991117
    PULSED FLOW FOR CAPACITY CONTROL (English)
    Patent Assignee: CARRIER CORP
                                  (US).
   Author (Inventor): LIFSON ALEXANDER
    Priority (No, Kind, Date): US 986447 A
                                            19971208
   Applic (No, Kind, Date): CN 98122457 A
                                            19981112
    IPC: * F25B-049/00
    Derwent WPI Acc No: * G 99-315470
    Language of Document: Chinese
EUROPEAN PATENT OFFICE (EP)
  Patent (No, Kind, Date): EP 921364 A2 19990609
    PULSED FLOW FOR CAPACITY CONTROL (English; French; German)
    Patent Assignee: CARRIER CORP (US)
    Author (Inventor): LIFSON ALEXANDER (US)
    Priority (No, Kind, Date): US 986447 A
                                            19971208
    Applic (No, Kind, Date): EP 98630071 A
                                            19981120
    Designated States: (National) ES; FR; IT; NL
    IPC: * F25B-049/02; F25B-041/04
    Derwent WPI Acc No: * G 99-315470; G 99-315470
    Language of Document: English
  Patent (No, Kind, Date): EP 921364 A3 20000614
    PULSED FLOW FOR CAPACITY CONTROL (English; French; German)
```

Patent Assignee: CARRIER CORP (US)

Author (Inventor): LIFSON ALEXANDER (US)

Priority (No, Kind, Date): US 986447 A 19971208 Applic (No, Kind, Date): EP 98630071 A 19981120

Designated States: (National) AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;

GR; IE; IT; LI; LU; MC; NL; PT; SE

IPC: * F25B-049/02; F25B-041/04; F04B-049/24

Derwent WPI Acc No: * G 99-315470 Language of Document: English

EUROPEAN PATENT OFFICE (EP)

T ~ ~ ~ 1	C+ -+	(No. Type	Data	Codo	Tout 1	
недат	Status	INO TVDE	. Date.	. coae.	. rext.	

EP 921364 P 19971208 EP AA PRIORITY (PATENT APPLICATION) (PRIORITAET (PATENTANMELDUNG))

> US 986447 A 19971208

19981120 EP AE **EP-APPLICATION** EP 921364 (EUROPAEISCHE ANMELDUNG)

EP 98630071 A 19981120

19990609 EP AK DESIGNATED CONTRACTING EP 921364 Ρ

STATES IN AN APPLICATION WITHOUT SEARCH

REPORT: (IN EINER ANMELDUNG OHNE

RECHERCHENBERICHT BENANNTE VERTRAGSSTAATEN)

ES FR IT NL

EP 921364 19990609 EP AX ERSTRECKUNG DES

EUROPAEISCHEN PATENTS AUF (ZAHLUNG VON

BENENNUNGSGEBUEHREN)

AL; LT; LV; MK; RO; SI

EP 921364 19990609 EP A2 PUBLICATION OF APPLICATION

WITHOUT SEARCH REPORT (VEROEFFENTLICHUNG DER

ANMELDUNG OHNE RECHERCHENBERICHT)

EP 921364 Ρ 20000614 EP AK DESIGNATED CONTRACTING

STATES IN A SEARCH REPORT: (IN EINEM

RECHERCHENBERICHT BENANNTE VERTRAGSSTAATEN)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

EP 921364 Ρ 20000614 EP AX ERSTRECKUNG DES

EUROPAEISCHEN PATENTS AUF (ZAHLUNG VON

BENENNUNGSGEBUEHREN)

AL; LT; LV; MK; RO; SI

EP 921364 20000614 EP A3 SEPARATE PUBLICATION OF THE

SEARCH REPORT (ART. 93) (GESONDERTE VEROEFFENTLICHUNG DES RECHERCHENBERICHTS

(ART. 93))

EP 921364 20000614 EP RIC1 CLASSIFICATION (CORRECTION)

(KLASSIFIKATION (KORR.))

7F 25B 49/02 A, 7F 25B 41/04 B, 7F 04B 49/24

В

EP 921364 Р 20010131 EP 17P REQUEST FOR EXAMINATION

FILED (PRUEFUNGSANTRAG GESTELLT)

20001208

20010221 EP AKX PAYMENT OF DESIGNATION FEES EP 921364 Р

(ZAHLUNG VON BENENNUNGSGEBUEHREN)

ES FR IT NL

EP 921364 Р 20010329 DE 8566/REG DESIGNATED COUNTRY DE NOT

LONGER VALID (VERTRAGSSTAAT DE NICHT MEHR

BENANNT)

```
JAPAN (JP)
  Patent (No, Kind, Date): JP 11270916 A2 19991005
    SYSTEM HAVING PULSATING REFRIGERANT FLOW FOR CAPACITY CONTROL (English)
    Patent Assignee: CARRIER CORP
    Author (Inventor): LIFSON ALEXANDER
    Priority (No, Kind, Date): US 986447 A
                                            19971208
    Applic (No, Kind, Date): JP 98347687 A
                                            19981208
    IPC: * F25B-001/10
    Derwent WPI Acc No: * G 99-315470
    Language of Document: Japanese
  Patent (No, Kind, Date): JP 2986469 B2 19991206
    Patent Assignee: CARRIER CORP
    Author (Inventor): AREKUSANDAA RIFUSON
    Priority (No, Kind, Date): US 986447 A
                                            19971208
    Applic (No, Kind, Date): JP 98347687 A
                                            19981208
    IPC: * F25B-001/10
    Language of Document: Japanese
UNITED STATES OF AMERICA (US)
  Patent (No, Kind, Date): US 6047556 A
    PULSED FLOW FOR CAPACITY CONTROL (English)
    Patent Assignee: CARRIER CORP (US)
    Author (Inventor): LIFSON ALEXANDER (US)
    Priority (No, Kind, Date): US 986447 A 19971208
    Applic (No, Kind, Date): US 986447 A 19971208
    National Class: * 062196200; 062196400; 062217000; 062513000;
      251129050
    IPC: * F25B-003/00
    Derwent WPI Acc No: * G 99-315470
    Language of Document: English
UNITED STATES OF AMERICA (US)
  Legal Status (No, Type, Date, Code, Text):
   US 6047556
                   Ρ
                       19971208 US AE
                                              APPLICATION DATA (PATENT)
                              (APPL. DATA (PATENT))
                             US 986447 A 19971208
    US 6047556
                       20000411 US A
                   Ρ
                                              PATENT
                       20011023 US RF
   US 6047556
                   Р
                                              REISSUE APPLICATION FILED
                              (REISSUE APPL. FILED)
                              20010803
```

LEXIS NEXIS

Files searched: Patent library; all patent files

PATNO IS 6047556

Your search request has found 1 PATENT through Level 1.

LEVEL 1 - 1 OF 1 PATENT

6,047,556

<=2> GET 1st DRAWING SHEET OF 1

Apr. 11, 2000

Pulsed flow for capacity control

REISSUE: Reissue Application filed Aug. 3, 2001 (O.G. Oct. 23, 2001) Ex. Gp.: 3744; Re. S.N. 09/921,334

CORE TERMS: valve, compressor, economizer, solenoid, suction, refrigerant, bypass, rapidly, 18-1, modulation...

File searched: CASES

6,047,556 OR 6047556

Your search request has found no CASES.

File searched: JOURNALS

Your search request has found no ITEMS.